



## PERAKUAN PEMATUHAN STANDARD (BAHAN BINAAN)

Adalah dengan ini Pengilang/Pengeluar yang dinyatakan di bawah ini telah mengeluarkan bahan binaan yang diperakui oleh Lembaga mengikut Bahagian VIIA Akta Lembaga Pembangunan Industri Pembinaan Malaysia (Pindaan 2011). Perakuan ini adalah tertakluk kepada syarat-syarat yang telah ditetapkan. Perakuan ini mengesahkan bahawa bahan atau produk binaan yang dinyatakan di bawah telah diperakukan

No. Pendaftaran : 1151124SL0061  
Nama Pengilang / Pengeluar : ENGTEX METALS SDN BHD  
Alamat Kilang Berdaftar : LOT 443, OFF JALAN ABDUL AZIZ, BATU 30,  
JALAN KUALA SELANGOR, IJOK 45600  
KUALA SELANGOR  
SELANGOR

### Kategori Bahan Binaan :

#### IRON AND STEEL PRODUCTS

(Rujuk LAMPIRAN A untuk butiran terperinci bahan atau produk binaan yang diperakukan )

Tarikh Mula Berkuatkuasa : 06-07-2023  
Tarikh Tamat Tempoh Perakuan : 05-07-2024

Perakuan ini boleh diperbaharui bermula 60 hari sebelum tarikh tamat tempoh perakuan.

Nota: Perakuan dikeluarkan setelah Lembaga menjalankan pemeriksaan dan pengesahan ke atas kilang dan produk-produk yang terkandung di dalam Pensijilan Produk (Product Certification) yang dikeluarkan oleh Badan Pensijilan yang diiktiraf. Pihak pengeluar/pengilang adalah bertanggungjawab untuk memastikan Pensijilan Produk (Product Certification) sentiasa dalam tempoh sahlaku.

**JASMI MOHD SALLEH**  
**PENGARAH**  
**CIDB NEGERI SELANGOR**  
b.p Ketua Eksekutif



SIJIL INI ADALAH CETAKAN KOMPUTER DAN TIDAK MEMERLUKAN TANDATANGAN

## SYARAT - SYARAT PERAKUAN PEMATUHAN STANDARD (PPS)

### 1. Syarat-syarat

- a) Perakuan ini tidak boleh dipindah milik.
- b) Lembaga berhak mengenakan apa-apa arahan berkenaan bahan binaan dan standard yang didaftarkan dalam PPS ini dari semasa ke semasa.
- c) Lembaga berhak pada bila-bila masa menjalankan pemeriksaan terhadap mana-mana pihak yang berurusan dengan mana-mana bahan binaan yang terkandung dalam Jadual Keempat.

### 2. Tanggungjawab Pemilik Sijil PPS

- a) Memahami dan mematuhi peruntukan-peruntukan Akta Lembaga Pembangunan Industri Pembinaan Malaysia 1994 Akta 520 (Pindaan 2011), peraturan-peraturan yang dibuat di bawahnya dan apa-apa terma, syarat-syarat atau sekatan yang dikenakan oleh Lembaga dari semasa ke semasa.
- b) Tidak boleh berurusan atau mengaku janji untuk berurusan, sama ada secara langsung atau tidak langsung, dengan bahan binaan yang dinyatakan dalam Jadual Keempat, melainkan jika bahan binaan itu telah diperakukan dan memperolehi PPS yang masih sah (belum tamat tempoh).
- c) Memastikan Sijil Produk/ Keputusan Pengujian Penuh yang dikeluarkan oleh Badan Pensijilan yang diiktiraf bagi bahan binaan yang diperakukan dalam perakuan ini sentiasa dalam tempoh sah laku.
- d) Mengemukakan Salinan sijil PPS ini kepada pembeli semasa urusan pembekalan, pemasaran, pemindahan dan penjualan sebagai bukti bahan binaan ini telah diperakui oleh Lembaga.
- e) Sentiasa memberi kerjasama dalam mengemukakan apa-apa maklumat yang dikehendaki oleh Lembaga dari semasa ke semasa.
- f) Memaklumkan kepada Lembaga jika ingin menamatkan, memindahkan atau apa-apa perubahan berkaitan operasi dan lokasi.
- g) Memahami dan bertanggungjawab terhadap produk-produk yang memerlukan pematuhan standard yang berterusan (pembaharuan) terutama yang melibatkan kualiti dan keselamatan kerja-kerja pembinaan, pekerja dan orang awam (Contoh; perancah, konkrit siap bancuh atau lain-lain yang berkaitan)

### 3. Tindakan Atas Perlanggaran Akta 520 CIDB

- a) Lembaga boleh mengambil tindakan pendakwaan mahkamah kepada mana-mana orang yang melanggar mana-mana peruntukan dalam Akta 520 dan apabila disabitkan, didenda tidak kurang daripada sepuluh ribu ringgit (RM10,000) tetapi tidak melebihi lima ratus ribu ringgit (RM500,000).
- b) Lembaga juga boleh mengenakan tindakan tatatertib terhadap mana-mana ketidakpatuhan yang dilakukan seperti berikut:-

| Bil | Kesalahan                                                                                                                                                                 | Hukuman                                                                                                                                                               |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1   | Berurusan dengan PPS yang tamat tempoh                                                                                                                                    | Gantung, Batal PPS atau dikenakan penalti denda tidak lebih RM10,000 atau mana-mana tindakan gantung atau batal dan juga dikenakan penalti denda tidak lebih RM10,000 |
| 2   | Memalsu atau mengubahsuai sijil PPS, Pensijilan Produk (PC), Keputusan Pengujian Penuh (FTTR) atau apa-apa dokumen berkaitan bagi maksud memperakui bahan binaan tersebut |                                                                                                                                                                       |
| 3   | Melakukan apa-apa ketidakpatuhan terhadap bahan binaan yang diperiksa atau berdasarkan keputusan ujian atau kedua-duanya                                                  |                                                                                                                                                                       |
| 4   | Melanggar mana-mana arahan Lembaga, akujanji atau akuan tanggungjawab yang dikeluarkan                                                                                    |                                                                                                                                                                       |
| 5   | Berurusan dengan mana-mana bahan binaan yang tiada di dalam senarai sijil PPS                                                                                             |                                                                                                                                                                       |
| 6   | Walau bagaimanapun bagi PC yang telah digantung, dibatal atau lain-lain tindakan oleh Badan Pensijilan (CB)                                                               | PPS tersebut akan digantung atau dibatalkan                                                                                                                           |
| 7   | Pemohon membatalkan atau menggantung PPS secara sukarela                                                                                                                  |                                                                                                                                                                       |

- c) Lembaga tidak akan bertanggungjawab terhadap apa-apa kerugian atau kos-kos yang terlibat hasil dari tindakan ketidakpatuhan yang dilakukan dan ianya merupakan tanggungjawab pengeluar, pengilang atau mana-mana orang yang berurusan sepenuhnya.

**Catatan :** PPS yang telah diputuskan dan dibatalkan oleh Jawatankuasa tatatertib tidak boleh diperbaharui sehingga tempoh maksima 2 tahun. Perlanggaran arahan tersebut dan masih berurusan dengan bahan yang tidak diperakukan akan mengakibatkan pemohon disenarai hitam dari memohon PPS selamanya dan tindakan pendakwaan mahkamah dengan denda maksima RM500,000.

No. Pendaftaran : 1151124SL0061  
 Nama Pengilang / Pengeluar : ENGTEX METALS SDN BHD

| Kategori                | Jenis / Saiz                                                                                                                                              | Jenama | Standard    |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|
| IRON AND STEEL PRODUCTS | Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC, TYPE: SQUARE MESH, SIZE: A98, BAR QUALITY: RIBBED BAR GRADE B500A OF MS 146 : 2014  | ENGTEX | MS 145:2014 |
|                         | Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC, TYPE: SQUARE MESH, SIZE: A142, BAR QUALITY: RIBBED BAR GRADE B500A OF MS 146 : 2014 | ENGTEX | MS 145:2014 |
|                         | Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC, TYPE: SQUARE MESH, SIZE: A193, BAR QUALITY: RIBBED BAR GRADE B500A OF MS 146 : 2014 | ENGTEX | MS 145:2014 |
|                         | Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC, TYPE: SQUARE MESH, SIZE: A252, BAR QUALITY: RIBBED BAR GRADE B500A OF MS 146 : 2014 | ENGTEX | MS 145:2014 |
|                         | Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC, TYPE: SQUARE MESH, SIZE: A318, BAR QUALITY: RIBBED BAR GRADE B500A OF MS 146 : 2014 | ENGTEX | MS 145:2014 |
|                         | Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC, TYPE: SQUARE MESH, SIZE: A318, BAR QUALITY: RIBBED BAR GRADE B500A OF MS 146 : 2014 | ENGTEX | MS 145:2014 |

Welded Steel Fabric for the  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
SQUARE MESH, SIZE: A393,  
BAR QUALITY: RIBBED BAR  
GRADE B500A OF MS 146 :  
2014

---

Welded Steel Fabric for the  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
SQUARE MESH, SIZE: A475,  
BAR QUALITY: RIBBED BAR  
GRADE B500A OF MS 146 :  
2014

---

Welded Steel Fabric for the  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
SQUARE MESH, SIZE: A565,  
BAR QUALITY: RIBBED BAR  
GRADE B500A OF MS 146 :  
2014

---

Welded Steel Fabric for the  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
STRUCTURAL MESH, SIZE:  
B196, BAR QUALITY: RIBBED  
BAR GRADE B500A OF MS 146  
: 2014

---

Welded Steel Fabric for the  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
STRUCTURAL MESH, SIZE:  
B283, BAR QUALITY: RIBBED  
BAR GRADE B500A OF MS 146  
: 2014

---

Welded Steel Fabric for the  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
STRUCTURAL MESH, SIZE:  
B385, BAR QUALITY: RIBBED  
BAR GRADE B500A OF MS 146  
: 2014

---

Welded Steel Fabric for the                      ENGTEX                      MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
STRUCTURAL MESH, SIZE:  
B503, BAR QUALITY: RIBBED  
BAR GRADE B500A OF MS 146  
: 2014

---

Welded Steel Fabric for the                      ENGTEX                      MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
STRUCTURAL MESH, SIZE:  
B636, BAR QUALITY: RIBBED  
BAR GRADE B500A OF MS 146  
: 2014

---

Welded Steel Fabric for the                      ENGTEX                      MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
STRUCTURAL MESH, SIZE:  
B785, BAR QUALITY: RIBBED  
BAR GRADE B500A OF MS 146  
: 2014

---

Welded Steel Fabric for the                      ENGTEX                      MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
STRUCTURAL MESH, SIZE:  
B950, BAR QUALITY: RIBBED  
BAR GRADE B500A OF MS 146  
: 2014

---

Welded Steel Fabric for the                      ENGTEX                      MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
STRUCTURAL MESH, SIZE:  
B1131, BAR QUALITY: RIBBED  
BAR GRADE B500A OF MS 146  
: 2014

---

Welded Steel Fabric for the                      ENGTEX                      MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
WRAPPING MESH, SIZE: D196,  
BAR QUALITY: RIBBED BAR  
GRADE B500A OF MS 146 :  
2014

---

Welded Steel Fabric for the                    ENGTEX                    MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
WRAPPING MESH, SIZE: D283,  
BAR QUALITY: RIBBED BAR  
GRADE B500A OF MS 146 :  
2014

---

Welded Steel Fabric for the                    ENGTEX                    MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
WRAPPING MESH, SIZE: D385,  
BAR QUALITY: RIBBED BAR  
GRADE B500A OF MS 146 :  
2014

---

Welded Steel Fabric for the                    ENGTEX                    MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
WRAPPING MESH, SIZE: D503,  
BAR QUALITY: RIBBED BAR  
GRADE B500A OF MS 146 :  
2014

---

Welded Steel Fabric for the                    ENGTEX                    MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
WRAPPING MESH, SIZE: D636,  
BAR QUALITY: RIBBED BAR  
GRADE B500A OF MS 146 :  
2014

---

Welded Steel Fabric for the                    ENGTEX                    MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
WRAPPING MESH, SIZE: D785,  
BAR QUALITY: RIBBED BAR  
GRADE B500A OF MS 146 :  
2014

---

Welded Steel Fabric for the                    ENGTEX                    MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
WRAPPING MESH, SIZE: D950,  
BAR QUALITY: RIBBED BAR  
GRADE B500A OF MS 146 :  
2014

---

Welded Steel Fabric for the                      ENGTEX                      MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
WRAPPING MESH, SIZE:  
D1131, BAR QUALITY: RIBBED  
BAR GRADE B500A OF MS 146  
: 2014

---

Welded Steel Fabric for the                      ENGTEX                      MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
SQUARE MESH, SIZE: A63,  
BAR QUALITY: RIBBED BAR  
GRADE B500A OF MS 146 :  
2014

---

Welded Steel Fabric for the                      ENGTEX                      MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
SQUARE MESH, SIZE: A252,  
BAR QUALITY: RIBBED BAR  
GRADE B500B OF MS 146 :  
2014

---

Welded Steel Fabric for the                      ENGTEX                      MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
SQUARE MESH, SIZE: A393,  
BAR QUALITY: RIBBED BAR  
GRADE B500B OF MS 146 :  
2014

---

Welded Steel Fabric for the                      ENGTEX                      MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
SQUARE MESH, SIZE: A565,  
BAR QUALITY: RIBBED BAR  
GRADE B500B OF MS 146 :  
2014

---

Welded Steel Fabric for the                      ENGTEX                      MS 145:2014  
Reinforcement Concrete  
DESIGNATED FABRIC, TYPE:  
STRUCTURAL MESH, SIZE:  
B503, BAR QUALITY: RIBBED  
BAR GRADE B500B OF MS 146  
: 2014

---

|                                                                                                                                                                                         |        |             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|
| Welded Steel Fabric for the Reinforcement Concrete<br>DESIGNATED FABRIC, TYPE:<br>STRUCTURAL MESH, SIZE:<br>B785, BAR QUALITY: RIBBED<br>BAR GRADE B500B OF MS 146<br>: 2014            | ENGTEX | MS 145:2014 |
| Welded Steel Fabric for the Reinforcement Concrete<br>DESIGNATED FABRIC, TYPE:<br>STRUCTURAL MESH, SIZE:<br>B1131, BAR QUALITY: RIBBED<br>BAR GRADE B500B OF MS 146<br>: 2014           | ENGTEX | MS 145:2014 |
| Welded Steel Fabric for the Reinforcement Concrete<br>STANDARD FABRIC, BAR<br>QUALITY= COLD WORKED<br>RIBBED BAR GRADE B500A<br>OF MS 146:2014, TYPE:<br>SQUARE MESH, SIZE: A664        | ENGTEX | MS 145:2014 |
| Welded Steel Fabric for the Reinforcement Concrete<br>STANDARD FABRIC, BAR<br>QUALITY= COLD WORKED<br>RIBBED BAR GRADE B500A<br>OF MS146:2014, TYPE:<br>STRUCTURAL MESH, SIZE:<br>B1328 | ENGTEX | MS 145:2014 |
| Welded Steel Fabric for the Reinforcement Concrete<br>STANDARD FABRIC, BAR<br>QUALITY= COLD WORKED<br>RIBBED BAR GRADE B500A<br>OF MS146:2014, TYPE:<br>WRAPPING MESH, SIZE:<br>D1328   | ENGTEX | MS 145:2014 |
| Welded Steel Fabric for the Reinforcement Concrete<br>DESIGNATED FABRIC, TYPE:<br>WRAPPING MESH, SIZE: D126,<br>BAR QUALITY: RIBBED BAR<br>GRADE B500A OF MS 146 :<br>2014              | ENGTEX | MS 145:2014 |



Welded Steel Fabric for the  
Reinforcement Concrete  
PURPOSE-MADE FABRIC;  
BAR QUALITY = COLD  
WORKED RIBBED BAR  
GRADE B500A OF MS 146 :  
2014; DIAMETER (MM) = 5, 6,  
6.5, 7, 7.5, 8, 9, 10, 11, 12, 13;  
SIZE : LONGITUDINAL PITCH  
(MM) = 100 - 200;  
TRANSVERSE PITCH (MM) =  
100 - 200; MAXIMUM  
DIFFERENT BETWEEN  
LONGITUDINAL AND  
TRANSVERSE WIRE  
DIAMETER (MM) = 4

---

Welded Steel Fabric for the  
Reinforcement Concrete  
PURPOSE-MADE FABRIC;  
BAR QUALITY = HOT ROLLED  
RIBBED BAR GRADE B500B  
OF MS 146 : 2014; DIAMETER  
(mm) = 10, 12, 16, 20, 25; SIZE :  
LONGITUDINAL PITCH (mm) =  
100 - 200; TRANSVERSE  
PITCH (mm) = 100 - 300;  
MAXIMUM DIFFERENT  
BETWEEN LONGITUDINAL  
AND TRANSVERSE WIRE  
DIAMETER (mm) = 15

---

Cold Worked Steel Wire for the  
Reinforcement of Concrete  
GRADE 500/ 5MM

COMPANY ID = MS 144:2014  
ENGTEX METALS  
SDN. BHD.

---

Cold Worked Steel Wire for the  
Reinforcement of Concrete  
GRADE 500/ 6MM

COMPANY ID = MS 144:2014  
ENGTEX METALS  
SDN. BHD.

---

Cold Worked Steel Wire for the  
Reinforcement of Concrete  
GRADE 500/ 7MM

COMPANY ID = MS 144:2014  
ENGTEX METALS  
SDN. BHD.

---

Cold Worked Steel Wire for the  
Reinforcement of Concrete  
GRADE 500/ 8MM

COMPANY ID = MS 144:2014  
ENGTEX METALS  
SDN. BHD.

---

Cold Worked Steel Wire for the  
Reinforcement of Concrete  
GRADE 500/ 9MM

COMPANY ID = MS 144:2014  
ENGTEX METALS  
SDN. BHD.

---

Cold Worked Steel Wire for the  
Reinforcement of Concrete  
GRADE 500/ 10MM

COMPANY ID = MS 144:2014  
ENGTEX METALS  
SDN. BHD.

---

|                                                                                                                       |                                            |             |
|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------|
| Cold Worked Steel Wire for the Reinforcement of Concrete<br>GRADE 500/ 11MM                                           | COMPANY ID =<br>ENGTEX METALS<br>SDN. BHD. | MS 144:2014 |
| Cold Worked Steel Wire for the Reinforcement of Concrete<br>GRADE 500/ 12MM                                           | COMPANY ID =<br>ENGTEX METALS<br>SDN. BHD. | MS 144:2014 |
| Cold Worked Ribbed Weldable Reinforcing Steel<br>GRADE B500A / 5MM                                                    | COMPANY ID =<br>ENGTEX METALS              | MS 146:2014 |
| Cold Worked Ribbed Weldable Reinforcing Steel<br>GRADE B500A / 6MM                                                    | COMPANY ID =<br>ENGTEX METALS              | MS 146:2014 |
| Cold Worked Ribbed Weldable Reinforcing Steel<br>GRADE B500A / 7MM                                                    | COMPANY ID =<br>ENGTEX METALS              | MS 146:2014 |
| Cold Worked Ribbed Weldable Reinforcing Steel<br>GRADE B500A / 8MM                                                    | COMPANY ID =<br>ENGTEX METALS              | MS 146:2014 |
| Cold Worked Ribbed Weldable Reinforcing Steel<br>GRADE B500A / 9MM                                                    | COMPANY ID =<br>ENGTEX METALS              | MS 146:2014 |
| Cold Worked Ribbed Weldable Reinforcing Steel<br>GRADE B500A / 10MM                                                   | COMPANY ID =<br>ENGTEX METALS              | MS 146:2014 |
| Cold Worked Ribbed Weldable Reinforcing Steel<br>GRADE B500A / 12MM                                                   | COMPANY ID =<br>ENGTEX METALS              | MS 146:2014 |
| Cold Worked Ribbed Weldable Reinforcing Steel<br>GRADE B500A/ 4MM                                                     | COMPANY ID =<br>ENGTEX METALS              | MS 146:2014 |
| Cold Worked Ribbed Weldable Reinforcing Steel<br>GRADE B500A/ 11MM                                                    | COMPANY ID =<br>ENGTEX METALS              | MS 146:2014 |
| Cold Worked Ribbed Weldable Reinforcing Steel<br>GRADE B500A, PRODUCED AND DELIVERED AS COIL,<br>NOMINAL SIZE(MM)= 13 | COMPANY ID=<br>ENGTEX METALS               | MS 146:2014 |
| Cold Worked Ribbed Weldable Reinforcing Steel<br>GRADE B500A / 6.5MM                                                  | COMPANY ID =<br>ENGTEX METALS              | MS 146:2014 |
| Cold Worked Ribbed Weldable Reinforcing Steel<br>GRADE B500A / 7.5MM                                                  | COMPANY ID =<br>ENGTEX METALS              | MS 146:2014 |